

FIRE RESISTANT METAL **DOORS**

Certificate number: IFCC1301

This is a product certificate to certify that

A1S Group Ltd

Jackson Works, Raikes Lane Industrial Estate, Raikes Lane, Bolton BL3 2NH **United Kingdom**

Tel: 01204 383839 Fax: 01204 381686

Email: sales@A1shutters.co.uk

Flameshield Fire Shutters

have satisfied the requirements of the SDP02 Metal Fire Door scheme. This includes the testing of products to BS476: Part 22, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from 120 minutes to 240 minutes integrity are detailed in the schedules referenced below.



Schedule ref: A1S01, A1S02

First Issued: 12 May 2017 Valid to: 11 May 2022

Issue No: 1



175

Ian Woodhouse **Director of Certification**

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.