



FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC 1484

This is a product certificate to certify that

Creagh Precision Joinery Ltd

Unit E,
105 Creagh Road,
Castledawson,
Derry
Tel: 02879468401

who fabricate the following timber fire doors:

Halspan FD30, FD60, Flamebreak FD30 & FD60 Vicaima FD30 & FD60

have satisfied the requirements of the SDP01 Fire resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity** are detailed on page 2 of this certificate.

Fire doors manufactured at factory references: A-AB2, A-AB3, A-AB4, CC-AB7



Initial certification: 04 March 2019
Valid to: 03 March 2024
Issue status: 1



175

Ian Woodhouse
Director of Certification

IFC Certification Ltd
20 Park Street, Princes Risborough, Buckinghamshire, England HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

F27 ©IFC Certification Ltd 2004

Certificate number: IFCC 1484

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/ Test Report
Halspan Optima	FD30	CHILT/A01204
Halspan Prima	FD30	FEA/F97174
Halspan Optima	FD60	FEA/F1205
Halspan Prima	FD60	FEA/96103
Flamebreak	FD30	FEA/F98164 Rev L
Flamebreak	FD60	FEA/F02141 Rev I
Vicaima	FD30	FEA/F99112A
Vicaima	FD60	Chilt/A13093

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.