



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: FRTD538

This is a product certificate to certify that

Woodcut Design Ltd

Industrial Area Anatoliko
Ayia Barbara
Paphos 8501
Cyprus
Tel no. +357 26 422 861

Who fabricate the following fire doors:

Halspan FD30 Halspan FD90 Halspan FD60 Halspan FD120
Strebord FD30 Strebord FD60

have satisfied the requirements of the IFCC SDP01 Timber Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: HS01, HS02, HS03, HS04, HS05, HS06, SS01 & SS02



First Issued: 14 March 2011
Reissued: 21 June 2019
Valid to: 13 March 2020
Issue No: 6



175

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.