



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: FRTD490

This is a product certificate to certify that

ITA Egypt SAE

First Industrial Area - Lot 4 - Block 13023
Al-Obour City, Cairo
Egypt

Who fabricate the following fire doors:

Halspan FD30 Halspan FD60 Halspan FD90 Halspan FD120
Strebord FD30 Strebord FD60 Ramkor FD90

have successfully completed the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control and continuing surveillance assessments and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the products assessment reports.



Schedule ref: HS01, HS02, HS03; HS04
HS05, HS06, SS01, SS02, RA01

Initial certification: 13 May 2010
Re-issued: 21 March 2016
Revised: 16 May 2018
Valid to: 12 May 2021
Issue No.: 6



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.