



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: FRTD497

This is a product certificate to certify that

Forza Doors Limited

Star Road Trading Estate
24a/24c Star Road
Partridge Green, Horsham
West Sussex, RH13 8RA
Tel: +44 (0)1403 711126
Fax: +44 (0)1403 711229
Email: technical@forza-doors.com

Who manufacture the following fire doors & door sets

**FORZA FD30 Flush Doors FORZA FD60 Flush Doors
FORZA FD90 Flush Doors FORZA Doors FD120 Flush Doors**

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.



Schedule ref: PAR/10321/01 Rev G,
PAR/10896/01 Rev D, PAR/10918/01 Rev D
And PAR/10922/01 Rev C
First Issued: 25 November 2010
Revised: 28 June 2017
Valid to: 24 November 2020
Issue No: 5



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

**Ian Woodhouse
Director of Certification**

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.