



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: FRTD552

This is a product certificate to certify that

Bin Arbaid Trading W.L.L.

PO Box 60072

Alkhor

Doha

Qatar

Telephone No. +9744 4721 446

Who fabricate the following fire doors:

Halspan FD30 Halspan FD90 Halspan FD60 Halspan FD120
FireBan FD30 FireBan FD60 FireBan FD90 FireBan FD120
Strebord FD30 Strebord FD60 Strebord FD90

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: HS01, HS02, HS03, HS04, HS05, HS06, GTL/S03, GTL/S04, SS01, SS02, SS03



First Issued: 15 April 2011
Re-issued: 23 January 2017
Revised: 4 May 2016
Valid to: 14 April 2021
Issue No: 3



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.