



## FIRE RESISTANT TIMBER FIRE DOORS

***Certificate number: FRTD658***

This is a product certificate to certify that

***Achilleas Yiangou & Sons Ltd***

92, Industrial Area Agiantzia  
2013 Nicosia  
Cyprus

Telephone No. +357 22 335838 Fax No. +357 22 337351

Who fabricate the following fire doors:

**Halspan FD30   Halspan FD60   Halspan FD90   Halspan FD120**  
**Strebord FD30   Strebord FD60**

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: HS01, HS02, HS03, HS04, HS05, HS06, SS01, SS02



First Issued: 22<sup>nd</sup> January 2013  
Reissued 30<sup>th</sup> January 2019  
Valid to: 21<sup>st</sup> January 2020  
Issue No: 4



175

Ian Woodhouse  
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.