



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC1103

This is a product certificate to certify that

'La Qualité' E.Z.A.C. Ltd

Michael Eracleous No.1
Ayios Athanasios
Limassol – 4101
Cyprus

Tel: +357 25 727150 Fax: +357 25 721964

Who fabricate the following fire doors:

**Halspan FD30, Halspan FD60, Halspan FD90, Halspan FD120,
Strebord FD30, Strebord FD60**

have satisfied the requirements of scheme SDP01. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **FD30 to FD120** (30minutes to 120minutes) performance are detailed in the schedules referenced below.



Schedule ref: HS01, HS02, HS03, HS04,
HS05, HS06, SS01, SS02

First Issued: 8 August 2014
Re-issued: 19 July 2018
Valid to: 7 August 2019
Issue No: 5



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.