



FIRE RESISTANT TIMBER GLAZED SCREENS

Certificate number: IFCC1200

This is a product certificate to certify that

P.A. Charalambous Trading Co. Ltd.

Industrial Zone Polis Chrysochous
PO Box 66120
Polis Chrysochous
Pafos, Cyprus
Tel: +357 26 323250

Who fabricate timber fire resisting elements with the following glasses:

**Pyrobelite 7, Pyrobelite 7 EG, Pyrobelite 10, Pyrobelite 12,
Pyrobel 16, Pyrobel 16 EG, Pyrobel 25, Pyrobel 25 EG**

have satisfied the requirements of scheme SDP 09. This includes the testing of products to **BS476: Part 22, EN1363-1 or EN 1364-1** as appropriate, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specifications and fields of application to achieve from **30 mins to 60 mins integrity** are detailed in the schedule referenced below. As this certificate invokes CF377 it cannot remain valid after the expiry date of CF377.

Schedule ref: IFCC1200/S01



First Issued: 24th December 2015
Reissued: 22nd July 2019
Valid to: 25th July 2020
Issue No: 5



175

A handwritten signature in black ink, which appears to read 'Ian Woodhouse', is written over a light-colored background.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire, HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.