



## FIRE RESISTANT TIMBER DOOR SCHEME

***Certificate number: IFCC 1506***

This is a product certificate to certify that

***Birmingham Veneers Ltd***

Seeleys Road  
Tyseley  
Birmingham  
B11 2LQ  
UK

Tel: 0121 772 5983

who fabricate the following timber fire doors:

**Halspan FD30, FD60, FD90 & FD120**

have satisfied the requirements of the SDP01 Fire resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed on page 2 of this certificate.



Initial certification: 05 July 2019  
Valid to: 04 July 2024  
Issue status: 1



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse  
Director of Certification

---

IFC Certification Ltd  
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

F27 ©IFC Certification Ltd 2004

## **Certificate number: IFCC 1506**

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

<b>Doorset Description</b>	<b>Fire Rating</b>	<b>Assessment/ Test Report</b>
Halspan Prima Inc Prima Plus	FD30	FEA/F97174
Halspan Prima Inc Prima Plus	FD60	FEA/F96103
Halspan Prima Panelled	FD30	FEA/F97097
Halspan Prima Panelled	FD60	CHILT/A01015
Halspan Optima	FD30	CHILT/A01204
Halspan Optima	FD60	FEA/F01205
Halspan	FD90	CHILT/A05151
Halspan	FD120	BMT/CAN/F15082

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

**It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.**

**Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.**