



FIRE RESISTANT TIMBER FIRE DOORS - TIMBER OR STEEL FRAMES

Certificate number: IFCC 1037

This is a product certificate to certify that

Michalis D Pikoulis & SIA E.E (intraDoor)

2nd Kilometer New Kios
Nafplio
Argos 21200 Greece
Tel: + 30 2751 051392

who fabricate timber fire doors with timber or steel frames:

Halspan FD30
Halspan FD120
Moralt FD30

Halspan FD60
Strebord FD30
Moralt FD60

Halspan FD90
Strebord FD60
Moralt FD90

have satisfied the requirements of the above scheme SDP01. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.



Schedule ref: HS01, HS02, HS03, HS04,
HS05, HS06, HS07, HS08, SS01, SS02,
PAR12519/03 Rev E, PAR15143/01 Rev B

First Issued: 10 September 2013
Reissued: 10 October 2019
Valid to: 09 September 2020
Issue No: 8



175

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.