



FIRE RESISTANT TIMBER FIRE DOOR SCHEME SDP01

Certificate number: IFCC 1082

This certificate certifies that the products below
manufactured by

Al Kaun Carpentry

P O Box 4235
St. No. 15, Gate No. 351
Industrial Area
Qatar

**FireBan FD30, FD60, FD90, FD120
Halspan FD30, FD60, FD90, FD120
Moralt FD30, FD60, FD90**

Satisfy the requirements of IFCC scheme SDP01. This includes the testing of products to **BS476: Part 22: 1987**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedule referenced below.

Schedule ref: GTL S03, GTL S04, HS01, HS02, HS03, HS04, HS05, HS06,
MS01

First Issued: 10 April 2014

Re-issued: 08 April 2019

Valid to: 9 April 2024

Issue No: 5



Ian Woodhouse
Certification Director



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.