



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1156

This is a product certificate to certify that

Al Turki Enterprises LLC

P.O. Box: 2803,
Ruwi, PC 112,
Sultanate of Oman

Tel: + 968 2459 0170

Who fabricate the following fire doors:

Strebord FD30
Halspan FD30
Halspan FD120
Kingsa FD90

Strebord FD60
Halspan FD60
Kingsa FD30
Kingsa FD120

Ramkor FD90
Halspan FD90
Kingsa FD60

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: SS01, SS02, RA01, KS01, KS02,
KS03, KS04, HS01-HS06



First Issued: 20 July 2015
Revised: 23 May 2018
Valid to: 19 July 2020
Issue No: 4



175

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.