



## **FIRE RESISTANT TIMBER FIRE DOORS**

**Certificate number: IFCC 1372**

This is a product certificate to certify that

***Incito Ltd.***

22, KONSTANTINOY KANARI ARADIPPOY  
Larnaca, 7102  
Cyprus

Tel: 00357-99-488986

Who fabricate the following fire doors:

**Halspan FD30    Halspan FD60    Halspan FD90    Halspan FD120**  
**Strebord 30    Strebord 60**

have satisfied the requirements of the SDP01 Timber Fire Doors scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: HS01 - HS06 & SS01, SS02



First Issued: 22 May 2018  
Reissued: 08 May 2019  
Valid to: 21 May 2020  
Issue No: 2

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

**Ian Woodhouse**  
Director of Certification



**175**

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.