



FIRE RESISTANT METAL BASED DOOR SCHEME

Certificate number: IFCC 1409

This is a product certificate to certify that

***Porta Block
152, KARAMANLI Ave,
ACHARNES ATHENS 13678
Greece***

Tel: 00302102832609

Who fabricate the following steel fire doorsets:

Single Leaf Fire Resistant Steel Door EI45

have satisfied the requirements of the SDP02 Fire resistant metal-based door scheme. This includes the testing of products to **BS EN 1634-1 & BS EN 1363-1** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve up to **45 minutes integrity & insulation** refs: IFCC1409/SO1

Products manufactured at EE01



Initial certification: 05 September 2018

Valid to: 04 September 2023

Issue status: Issue 1

A handwritten signature in black ink, which appears to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd

20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH

Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com

Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.