



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC1519

This is a product certificate to certify that

Heze Maosheng Wood Products Co. Ltd.

Zhuangzhai Town
Heze City, 274000
Shandong Province
China

Tel: 0086-530-6160717

who fabricate the following timber fire doors:

**Maosheng Board 44mm thick FD30
Maosheng Board 54mm thick FD60**

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **FD30 and FD60** performance classifications are detailed in the schedule referenced below.



Schedule ref: PAR19761/01

First Issued: 02 September 2019

Valid to: 01 September 2024

Issue No: 1



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

**Ian Woodhouse
Director of Certification**

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.