



## FIRE RESISTANT TIMBER DOOR SCHEME

***Certificate number: IFCC 1533***

This is a product certificate to certify that

***GPM Group Ltd  
Unit 3, Fordgate Business Park  
Crabtree Manorway North  
Belvedere  
DA17 6AS  
UK***

Tel: 02085944472

who fabricate the following timber fire doors:

**Halspan FD30, FD60  
Flamebreak FD30 & FD60  
Strebord FD30, FD60**

have satisfied the requirements of the SDP01 Fire resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity** are detailed on page 2 of this certificate.



Initial certification: 05 November 2019

Valid to: 04 November 2024

Issue status: 1

Ian Woodhouse  
Director of Certification



175

IFC Certification Ltd

20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH

Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)

Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

F27 ©IFC Certification Ltd 2004

## ***Certificate number: IFCC 1533***

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

<b>Doorset Description</b>	<b>Fire Rating</b>	<b>Assessment/ Test Report</b>
Halspan Prima	FD30	FEA/F97174
Halspan Prima	FD60	FEA/F96103
Halspan Optima	FD30	CHILT/A01204
Halspan Optima	FD60	FEA/F01205
Flamebreak 30	FD30	FEA/F98164
Flamebreak 60	FD60	CHILT/A02141
Strebord 44	FD30	CHILT/A02066
Strebord 54	FD60	CHILT/A02067

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

**It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.**

**Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.**