



FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC 1485

This is a product certificate to certify that

Mondo Porta

Malesina, Lokridos,
35001
Greece

Tel: +30 2233051044

who fabricate the following timber fire doors:

Strebord EIS30 Strebord EIS60
Halspan EIS30 Halspan EIS60
Moralt EIS30

have satisfied the requirements of the SDP01 Fire Resistant Timber Door scheme. This includes the testing of products to **EN1634-1 & EN1634-3** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity & insulation** are detailed in the schedules referenced below.

Schedule refs: BMT/CNA/F13020, BMT/CNA/F13021, BMT/CNA/F14053,
BMT/CNA/F14054, PAR14247/01 (excluding annexes C, D, F & G)



Initial certification: 01 March 2019
Revised: 16 December 2019
Valid to: 31 March 2024
Issue status: 3



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd
20 Park Street, Princes Risborough, Buckinghamshire, England HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.