



# FIRE RESISTING ALUMINIUM DOORS

***Certificate number: IFCC1227***

This is a product certificate to certify that

***Metek secur Srl***  
***T/A W.M.K. secur Srl***

Via dei Campi 3  
39035 Monguelfo  
Tesido  
Bolzano  
Italy

Telephone no. :- 00 39 0474 944127

Who fabricate the following fire rated panelled & glazed doorsets:

## **Aluminium Fire Rated Panelled, Glazed Double & Single Leaf Doorsets**

have satisfied the requirements of the above scheme, SDP 02 (Doors). This includes the testing of products to **UNI 9723 & EN1363**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specifications to achieve **EI30, EI60, EI90, EW120 & EI120** are detailed in the test and assessment reports referenced below.

Test reports: **75750/1200RF, 206931/2813FR, 208180, 126619, 110422/1694RF, 169949/2493RF and 174436.** Assessment Reports: **316030102-1, 3**



First Issued: 21 April 2016  
Revised on: 27 July 2018  
Valid to: 20 April 2021  
Issue No: 3



175

Ian Woodhouse  
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK  
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.