



FIRE RESISTING ALUMINIUM PARTITIONS

Certificate number: IFCC1299

This is a product certificate to certify that

Metek secur Srl
T/A W.M.K. secur Srl

Via dei Campi 3
39035 Monguelfo
Tesido
Bolzano
Italy

Telephone no. :- 00 39 0474 944127

Who fabricate the following fire rated partitions:

Aluminium Fire Rated Glazed Partitions

have satisfied the requirements of the above scheme, SDP 21 (Fire Resisting Partitions). This includes the testing of products to **EN1364-1:1999** and **EN1363-1:2012**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specifications to achieve **EI 30, EI 60, EI 90 & EI 120** and are detailed in the test reports referenced below.

Test reports: **105/C/13-166FR, 108/C/13-170FR, 110/C/13-172FR, 106/C/13-167FR, 111/C/13-173FR, 117/C/13-178FR & 118/C/13-179FR**



First Issued: 28 April 2017
Revised on: 13 August 2018
Valid to: 27 April 2022
Issue No: 2

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.