



FIRE RESISTANT TIMBER FIRE DOORS SDP01

Certificate number: IFCC1316

This is a product certificate to certify that

Al Khor Factory for Wooden Products

P.O. Box: 1391, Doha,
(New Industrial Area Street 41)
Qatar

Tel: 00974 44689083

Who fabricate the following fire doors:

Halspan FD30	Halspan FD60	Halspan FD90	Halspan FD120
Fireban FD30	Fireban FD60	Fireban FD90	Fireban FD120

have satisfied the requirements of the SDP01 Fire Resistant Timber Door Scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: HS01-HS06 & GTL S03, GTL S04



First Issued: 03 August 2017
Valid to: 02 August 2022
Issue No: 1



175

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.