



FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC 1342

This is a product certificate to certify that

Moralt AG

Moralt AG
Obere Tiefenbachstraße 1
D-83734 Hausham
Germany

Tel/Fax: 0049 8026 92538 17

who fabricate the following timber fire door blanks:

FireSmoke FD30 and FD60 FireSound FD30, FD60 and FD90 Ferro FireSafe FD30

have satisfied the requirements of the SDP01 Fire Resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 90 minutes integrity** are detailed in the schedules referenced below.

Schedule refs: IFCC1342/S01



Initial certification: 05 February 2018
Revised: 23 April 2018
Valid to: 04 February 2023
Issue status: 2

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.