



FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC 1363

This is a product certificate to certify that

***George Wood & Sons (Enfield) Limited
T/A Enfield Speciality Doors***

276 Alma Road

Enfield

Middlesex

EN3 7BB

Tel: 020 8805 6662

who fabricate the following timber fire doors:

**Enfield FD30 & FD60
Strebord FD30, FD60, FD90 & FD120
Warmsprings FD60, FD90 & FD120
Stredor FD30 & FD60
Flamebreak FD30 & FD60,
Safeguard FD30 & FD60
Fibrecore FD30 & FD60**

have satisfied the requirements of the SDP01 Fire resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed on page 2 of this certificate.



Initial certification: 14 Feb 2018

Valid to: 13 Feb 2023

Issue status: 1

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd

20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH

Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com

Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

F27 ©IFC Certification Ltd 2004

Certificate number: IFCC 1363

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/ Test Report
ESD Ac43 30 & 60 Minute Fire	FD30 & FD 60	BMT/CNA/F14098
High Performance Acoustic Doorsets	FD30	Chilt/A07023
Premier acoustic 46 Premier acoustic 48	FD30	Chilt/A12282
Warmsprings Doorsets	FD60, FD90 & FD120	Chilt/A12138
STREBORD 30 min Doorsets	FD30	Chilt/A02066
STREBORD 60 min Doorsets	FD60	Chilt/A02067
STREDOR 30 min Doorsets	FD30	CNA/F15159 Rev B
STREDOR 60 min Doorsets	FD60	WF377027
Flamebreak 30 30 min Doorsets	FD30	FEA/F98164 Rev L
Flamebreak 60 60 min Doorsets	FD60	Chilt/A02141 Rev I
Safeguard Doorsets	FD30	Chilt/A09243 Rev B
Safeguard Doorsets	FD60	Chilt/A09244 Rev B
SafeHinge	FD30/FD60	Chilt/A12005 Rev B
Fibrecore Doorsets	FD30	Chilt/A12165
Fibrecore Doorsets	FD60	PAR/14658/01

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.