



FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC 1545

This is a product certificate to certify that

Weng Meng Industries Sdn Bhd

No.11, Jalan 8, Kompleks Perabot Olak Lempit, 42700 Banting,
Selangor, Malaysia

Tel: +603 3149 1188

who fabricate the following timber fire doors:

**Halspan FD30, FD60, FD90 & FD120,
WMI Sandor Composite FD30, FD60, FD90 & FD120**

have satisfied the requirements of the SDP01 Fire resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed on page 2 of this certificate.



Initial certification: 3 January 2020
Valid to: 2 January 2025
Issue status: 1

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

Certificate number: IFCC 1545

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/ Test Report
Solid Composite Core Door Leaves installed in Timber/Metal* Frames *(Only FD120 tested in Metal Frame)	FD30, FD60, FD90 & FD120	WF406295/WF406296
Halspan Solid Core Door Leaves installed in Timber Frames/Metal Frames	FD30, FD60, FD90 & FD120	O6166B, 06167C, PAR/10341/01 Rev A, PAR/10341/02 Rev B, FEA F97097 Rev 1, A01015 Rev D, PAR/10513/01 Rev A, PAR/10513/02 Rev A, IFCA/15953/01, IFCA/15953/02, PAR/17519/01, PAR/17519/02, PAR/16286/01, CHILTA11116 Rev A

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.