



## ACOUSTIC PERFORMANCE

### *Supplement 13/01 to Certificate IFCC1080*

Issued to

### *Specialized Wood Establishment*

Main Madaba Street  
Al-Yadoudih (beside A-Yadoudih Customs)  
Amman, Jordan  
Tel no.: +9626 412 9119

- 44mm Halspan Prima/Optima Single Leaf** up to 34dB Rw (glazed)
- 44mm Halspan Prima/Optima Single Leaf** up to 32dB Rw (unglazed)
- 54mm Halspan Prima/Optima Single Leaf** up to 36dB Rw (glazed)
- 54mm Halspan Prima/Optima Single Leaf** up to 34dB Rw (unglazed)
- 64mm Halspan FD90 Single Leaf** up to 36dB Rw (glazed)
- 64mm Halspan FD90 Single Leaf** up to 34dB Rw (unglazed)
- 64mm Halspan FD120 Single Leaf** up to 36dB Rw (glazed)
- 64mm Halspan FD120 Single Leaf** up to 34dB Rw (unglazed)
- 44mm/54mm Prima/Optima/64mm FD90/64 mm FD120 Double Leaf** up to 35dB Rw (glazed)

This addendum certifies the acoustic performance of the above doors in accordance with BS EN ISO 10140:2010. To provide the performance indicated above the specification given in the 'Halspan Technical Support Manual- Acoustic Information' should be followed.

For combined fire and acoustic performance this addendum and referenced documentation should be read in conjunction with Certificate IFCC 1080 and associated documentation.

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse  
Director of Certification

Issued: 14 March 2014  
Reissued: 24 June 2019  
Valid to: 15 April 2021  
Issue No: 5

---

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.