



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1083

This is a product certificate to certify that

Danube Group

P O Box 18022

Jebel Ali

UAE

Tel no.: +971 4 887 1234

Who supply door blanks for the manufacture of the following fire doors & doorsets:

Kingsa FD30 Kingsa FD 60 Kingsa FD90 Kingsa FD120

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: KS01, KS02, KS03, KS04



First Issued: 26 Feb2014
Reissued 27 January 2017
Valid to: 25 Feb 2019
Issue No: 3



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.