



## **FIRE RESISTANT TIMBER FIRE DOORS**

***Certificate number: IFCC 1096***

This is a product certificate to certify that

***Architectural Joinery WLL***

(Subsidiary of JAHA International, Hong Kong)

P O Box 32135

Doha, Qatar

Tel no.: +974 4437 6661

Who fabricate the following fire doors:

**FireBan FD30, FireBan FD60, FireBan FD90, FireBan FD120**

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: GTL/S03, GTL/S04



First Issued: 8 July 2014  
Reissued 16 January 2017  
Valid to: 7 July 2019  
Issue No: 2



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

**Ian Woodhouse**  
Director of Certification

---

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.