



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1118

This is a product certificate to certify that

Bright Design Co. WLL

Industrial Area Street 17

Qatar 75070

Tel: +974 40165788

Who fabricate the following fire door systems:

Fireban FD30, FD60, FD90 and FD120

Halspan FD30, FD60, FD90 and FD120

have satisfied the requirements of IFCC scheme SDP 01 for Fire Resistant Timber and Wood Based Doors. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedule referenced below.

Schedules ref: GTLS03-GTLS04, HS01-HS06



First Issued: 10 December 2014

Reissued 30 January 2017

Valid to: 9 December 2019

Issue No: 3

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.