



FIRE RESISTING PARTITIONS AND INTERNAL GLAZED SCREENS

Certificate number: IFCC1133

This is a product certificate to certify that

TecFire Middle East FzE

Dubai Silicon Oasis
D-Wing Office G04-2
Dubai 341012
Telephone no. :- +971 437 24480

Who fabricate the following fire rated glazed partition:

AS85 Non-load bearing glazed aluminium fixed partition

have satisfied the requirements of the following scheme, SDP 21 (Partitions). This includes the testing of products to **EN1363-1 and EN1363-2**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specifications to achieve **EI90 & EW120 (Partition) minutes fire resistance** are detailed in the test reports referenced below.

Test reports: OJ015-1



First Issued: 12 March 2015
Revised: 8 June 2015
Valid to: 11 March 2020
Issue No: 4



175

A handwritten signature in black ink, which appears to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.