



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1153

This is a product certificate to certify that

A.Chronis-G.Doumanis Limited
(trading as Porta Impresa)

19th Kilometer,
Thessaloniki-Serres
572 00, Thessaloniki
Greece
Tel: + 30 2394 073483

Who fabricate the following fire doors:

Halspan FD30

Halspan FD60

Halspan FD90

Halspan FD120

Strebord FD30

Strebord FD60

have satisfied the requirements of the SDP01 scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity** are detailed in the schedules referenced below.



Schedule ref: HS01, HS02, HS03, HS04,
SS01, SS02

First Issued: 16 July 2015
Revised 26 July 2016
Valid to: 15 July 2020
Issue No: 2



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.