



## **FIRE RESISTANT TIMBER FIRE DOORS SDP02**

**Certificate number: IFCC1249**

This is a product certificate to certify that

### **Golden Door S.A**

Nea Zoi Aspropyrgos  
Aspropyrgos  
Greece 19300  
Tel: + 30 2105596690

Who fabricate the following fire doors:

### **EI60 Own Design Steel Un-Glazed Doorset with Wooden Facing and Concealed Hinges**

have satisfied the requirements of the above scheme. This includes the testing of products to **EN1363-01**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification to achieve EI60 minutes integrity and insulation are detailed in the schedule referenced below.

Schedule ref: IFCC 1249 / GD01



First Issued: 05 July 2016  
Revised 11 July 2016  
Valid to: 04 July 2021  
Issue No: 2

A handwritten signature in black ink, which appears to read 'Ian Woodhouse', is written over a light-colored background.

**Ian Woodhouse**  
Director of Certification



**175**

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.