



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC1325

This is a product certificate to certify that

Apton Partioning Limited

Unit 3,
Cannon Business Park,
Gough Road,
Coseley,
West Midlands,
WV14 8XR
01902 385250

Who fabricate timber fire doors:

Vicaima FD30 and Vicaima FD60

have satisfied the requirements of the above scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The frame specification and field of application for the doors to achieve from **30 minutes to 60 minutes integrity** are as detailed in the schedules referenced below:

Schedule ref: IFCC1325 S01



First Issued: 04 April 2018

Valid to: 03 April 2023

Issue No: 1

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HTel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com Registered No: 4777898 England
The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.