



# FIRE RESISTANT METAL BASED DOOR SCHEME

***Certificate number: IFCC 1362***

This is a product certificate to certify that

## **Al Mana Precision Industries**

Building No. 280, Area 81 Street No. 9  
Small and Medium Enterprises Area, 1319  
Qatar  
Tel: +974 7022-6023

who fabricate the following steel fire doorsets:

- Double Leaf Steel Door Honey Comb Infill with and without vision panel - MPI FD180**
- Single and Double Leaf Steel Door Rock Wool Infill with and without vision panel - MPI FD180**
- Single Leaf Steel Door Honey Comb Infill with and without vision panel - MPI FD120**
- Double Leaf Fully Glazed Steel Door – FD180**

have satisfied the requirements of the SDP02 Fire resistant metal based door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 180** refs: IFCC1362/SO1



Initial certification: 29 January 2018  
Revised: 17 October 2019  
Valid to: 28 January 2023  
Issue status: 3

Ian Woodhouse  
Director of Certification



175

IFC Certification Ltd  
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.