



FIRE RESISTANT STEEL FIRE DOORS

Certificate number: IFCC 1415

This is a product certificate to certify that

I Tech Building Solutions WLL

Industrial Area,
Street 44
Doha, Qatar

Who fabricate the following:

Indigatech Single & Double Leaf Composite Steel Door Assemblies (Honeycomb and Rockwool infills) with Aperture

have satisfied the requirements of the above scheme. This includes the evaluation of products to **BS476: Part22: 1987**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **60 to 240 minutes integrity** performance are detailed in the schedule referenced below.

Schedule ref: IFCC/1415/S01



First Issued: 25/09/2018
Valid to: 24/09/2023
Issue No: 1



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.