

IFC *certification*



ENHANCED SECURITY SINGLE DOORSETS

Certificate number: IFCC 9003

This is to certify that

UK Performance Doorsets Ltd

Bryn Mawr Industrial Estate, Pinfold Lane, Alltimi,
Flintshire, CH7 6NZ

Tel: 01244 551360

Manufacturer of:

Timber Security Doorsets

has successfully completed the requirements of IFCC Enhanced Security Scheme SDSec01. This includes the testing of products to PAS24:2016, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production.

CLASSIFICATION	
SECURITY	WEATHER
PAS24 D	N/A

The product specifications and supporting test evidence to achieve this classification are detailed in the schedules referenced below.

UKPDS01



Initial Certification: 15 March 2019
Valid to: 14 March 2024
Issue No.: 1



175

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire, HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +44(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification. The reader should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.



ENHANCED SECURITY DOORSETS

Certificate number: IFCC 9003

1. This approval relates to the timber security single unglazed internal outward opening doorset in providing an enhanced security performance to PAS24:2016.
2. The doorsets are approved on the basis of:
 - a. Initial type testing reports listed in the schedules.
 - b. Audit testing as specified in IFCC Enhanced Security Scheme document IFCC SDSec 01.
 - c. A design appraisal against SDSec 01 if applicable.
 - d. Ongoing inspection and FPC audits carried out at the manufacturer's premises.
3. This approval is applicable to complete doorsets only.
4. This certification is designed to demonstrate compliance of the doorset specifically with the requirements of PAS: 24 and Secured By Design. If compliance is required with any other regulatory or guidance documents then additional requirements may need to be taken into account.
5. Maximum Dimensions covered are 925 x 2010 x 44mm

For the full specification of the product see the IFCC schedule(s) which accompany this certificate.

6. The doorsets must be mechanically fixed to the supporting wall construction as described in the manufacturers approved installation instructions as applicable.
7. Labels to the IFCC design referencing the IFCC Certificate IFCC9003, PAS24, applicable rating and manufacturers name, must be affixed to each doorset in the specified position.

Additional information

If you require additional information regarding the certification of this doorset it can be obtained by contacting IFCC