



## FIRE RESISTANT TIMBER DOOR SCHEME

***Certificate number: IFCC 1389***

This is a product certificate to certify that

***Laidlaw Limited***

Laidlaw Ltd.,  
Strawberry Lane,  
Willenhall, West Midlands  
WV13 3RS  
Tel: 01902 600435

who fabricate the following timber fire doors:

**Strebord FD30 & FD60**  
**Stredor FD30 & FD60**  
**Fibrecore FD30 & FD60**  
**Trisound FD30 & FD60**  
**Duocore FD30**  
**Warm Springs FD60, FD90 & FD120**

have satisfied the requirements of the SDP01 Fire Resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed on page 2 of this certificate.

Fire doors manufactured at factory references: A-AB8



Initial certification: 17 May 2018  
Valid to: 16 May 2023  
Issue status: Rev 2



175

Ian Woodhouse  
Director of Certification

IFC Certification Ltd

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

F27 ©IFC Certification Ltd 2004

## **Certificate number: IFCC 1389**

The production of fire resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

<b>Doorset Description</b>	<b>Fire Rating</b>	<b>Assessment/ Test Report</b>
Strebord 35	FD30	Chilt/A12137
Strebord 44	FD30	Chilt/A02066 Rev L
Strebord 54	FD60	Chilt/A02067 Rev H
Strebord 44	FD30	08037 Rev C
Strebord 54	FD60	08038 Rev B
Stredor 44	FD30	CNA/F15159 Rev B
Stredor 54	FD60	WF377027
Strebord 44 Panelled	FD30	Chilt/A09104 B
Strebord 54 Panelled	FD60	Chilt/A10152 B
Duocore 44	FD30	Chilt/A12296 A
Fibrecore 44	FD30	Chilt/A12165
Fibrecore 54	FD60	PAR/14658/01
Trisound	FD30	PAR/12033 Rev A
Trisound	FD60	PAR/13088
WSCP	FD 60, 90 & 120	Chilt/A12138
WSCP	FD 60, 90 & 120	IFCA/07019 Rev C

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

**It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.**

**Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.**