



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1529

This is a product certificate to certify that

North Ocean Enterprises LLC

PO Box 3725
Ruwi, Postal Code 112
Muscat
Sultanate of Oman
Tel no. +968 24619400

Who manufacture door blanks used for the fabrication of the following fire doors & doorsets:

Fire-X FD30

Fire-X FD60

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity** are detailed in the schedule referenced below.

Schedules ref: PAR/19870/01, PAR/19870/02



First Issued: 28 October 2019
Valid to: 27 October 2024
Issue No: 1

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.