



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1522

This is a product certificate to certify that

Steel Wood Industries FZCO

National Industries Park
PO Box 17260
Dubai, UAE
Tel: +971 4880 7576

Who supply door blanks for the manufacture of the following fire doors & doorsets

Oxnar - SDB 44mm thick FD60

Oxnar - SDB 56mm thick FD60

Oxnar – SAWT - SDB 62mm thick FD60

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **FD60** performance classifications are detailed in the Field of Application reports referenced below.



PAR/19721/01, PAR/19721/02 & PAR/19721/03

First Issued: 09 September 2019

Valid to: 08 September 2024

Issue No: 1



175

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.