



175

## UAE Certificate of Compliance

**Certificate number: IFCC1088**

**Issue No: 1**

**IFCC Scheme Ref. No: SDP01**

**Schedule Ref. No: IFCC1088/GH01**

*This UAE Certification Supplement should be read in conjunction with the IFCC Certificate identified by number and issue status above and the associated schedule detailed thereon.*

**This document is issued by IFCC in accordance with the UAE Civil Defence Product Approval Requirements:**

**Name of Company / Manufacturer:  
(Certificate Holder)**

Ghuzlan Emirates Furniture and Decor

**Enter Company Address:**

PO Box 47051  
ICAD 1 Musaffah  
Abu Dhabi  
United Arab Emirates  
+971 2 5500070  
emad.alaraj@ghuzlan.ae

**Tel:  
Email:**

**Name of Brand(s):**

Ghuzlan OD 30 (FD30)  
Ghuzlan OD 60 (FD60)

**Model:**

Not Applicable

**Description of Product:**

Timber fire door.

**Logo on Product:**



IFC Certification Ltd  
Tel: +44(0)1844 275500  
Fax: +44(0)1844 274002  
Email: [info@ifccertification.com](mailto:info@ifccertification.com)  
Web: [www.ifccertification.com](http://www.ifccertification.com)

**MANUFACTURERS  
LOGO**

Fabricator: XXXXXXXXXXXXXXXXXXXXX  
Tel: XXXXX XXX XXX  
Email: [emailaddressoffabricator](mailto:emailaddressoffabricator)  
Web: [www.fabricatorssite.com](http://www.fabricatorssite.com)

**FD30**  
FRTD XXX/XXXXXXX  
BS476: Part 22: 1987

IFCC is accredited by UKAS (United Kingdom Accreditation Service) to ISO/IEC 17065 to provide product conformity certification. Please access the UKAS website on [www.ukas.com](http://www.ukas.com) in order to verify the validity of the IFCC accreditation No. 0175.

Bob Williams – Director of Certification

Date of Issue: 1 October 2014

Date of Expiry: 29 July 2018



175

**Certificate number: IFCC1088****Issue No: 1****IFCC Scheme Ref. No: SDP01****Schedule Ref. No. IFCC1088/GH01**

<b>Test Standard:</b>	<b>BS476-22: 1987</b>	
<b>Test Description:</b>	<b>Methods for determination of the fire resistance of non-loadbearing elements of construction.</b>	
<b>Result of Test(s):</b>	<b>Pass. Ranges from 30 minutes to 70 minutes integrity, or integrity and insulation.</b>	
<b>Assessment(s) Resulting from Tests:</b>	<b>PAR/14142/01 – Field of Application of 54mm Thick Ghuzlan OD 30 and Ghuzlan OD 60 Door Leaves Installed in Timber Frames</b>	
<b>Name and Location of Test Facility(ies):</b>	<b>Intertek Testing Services Ltd., Shanghai Jinqiao Branch, Building T52-8, No. 1201 Gui Qiao Road, Jinqiao Development Area, Pudong District, Shanghai 201206</b>	
<b>Tel:</b>	<b>+86 21 5031 9089</b>	
<b>Email:</b>	<b>www.intertek.com</b>	
<b>Accreditation No. and Name of Issuing Body for Test Facility(ies) :</b>	<b>Laboratory holds national accreditation issued in their country of operation.</b>	
<b>Specification of Test Specimen:</b>	<b>A Double leaves swing door set with timber frame installed within a rigid construction, e.g. concrete, blockwork or masonry.</b>	
<b>Product Application Guideline (end use):</b>	<b>Refer to Manufacturers installation guidelines at <a href="http://www.ghuzlan.ae">www.ghuzlan.ae</a></b>	
<b>List of Test Report Number(s) / Issue Date(s):</b>	<b>Intertek 101492280SAT-002</b>	<b>14<sup>th</sup> Jan 2014</b>

The certificate referenced above is valid only when the product is installed in accordance with the manufacturers "Application Guidelines". To verify the validity of the product's certification, please log onto the IFCC Website [www.ifccertification.com](http://www.ifccertification.com) and search for the certificate number.