



FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC1534

This is a product certificate to certify that

ID Gulf Factory

Almdain Industrial Area
Sulay
Riyadh
Saudi Arabia
Tel: +966 112427060

Who fabricate the following systems:

Strebord FD30 Strebord FD60 Ramkor FD90 Ramkor FD120

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: SS01, SS02, RA01, RA02, RA03



Initial registration: 02 December 2019
Valid To: 01 December 2024
Issue status: 1



175

A handwritten signature in black ink, which appears to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.