



FIRE RESISTANT PARTITIONS

Certificate number: IFCC 1748

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

SAINT-GOBAIN RIGIPS ALCI SANAYI VE TICARET A.S

TOLKOY MAHALLESİ,
TOLKOYU SERPMELERİ 133/A BALA 06720 ANKARA
TURKEY

Tel: +90 312 463 6363

Who fabricate the following fire rated partitions

EI 30 Rigips 12.5 mm single layer Standard Gypsum Board
EI 120 Rigips 2 x 12.5mm Fire Rated Gypsum Board
EI 120 Rigips 2 x 12.5mm Glasroc X Gypsum Board

have satisfied the requirements of the above scheme, SDP21 (Partition). This includes the testing of products to EN1364-1, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specifications to achieve 30 to 120 minutes integrity and insulation are detailed as in the test reports referenced below.

Test reports: 652936 (EI30), 652913 (EI120), 206881 (EI120)



First Issued: 11 August 2022
Revised: 02 September 2022
Valid to: 10 August 2027
Issue No: 1

Ian Woodhouse
Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.