



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC1521

This is a product certificate to certify that

Bin Abdul Kareem Service

PO Box 6494

Doha

Qatar

Telephone no. +974 4469 0890

Who fabricate the following fire doors:

Halspan FD30

Halspan FD90

Halspan FD60

Halspan FD120

have satisfied the requirements of the above scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: HS01, HS02, HS03, HS04, HS05, HS06, PAR/15953/01,
IFCA/15953/02, PAR17519-01, PAR17519-02, PAR16286-01



First Issued: 09 September 2019

Valid to: 08 September 2024

Issue No: 1

Ian Woodhouse

Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.