



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: FRTD449

This is a product certificate to certify that

Interiors International Industries LLC

PO Box 31881
Dubai
United Arab Emirates
Telephone no. +971 4 340 0055

Who fabricate the following fire doors:

Interiors International FD30-H Interiors International FD60-H
Interiors International FD90-H Interiors International FD120-H
Interiors International FD60-F Interiors International FD90-F
Oxnar-SBD FD60

have satisfied the requirements of the SDP01 Timber Fire Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedule referenced below.

Schedule ref: HS01, HS02, HS03,
HS04, HS05, HS06, GTL03, PAR/19721/02



First Issued: 1 April 2008
Reissued: 5 March 2018
Revised: 17 October 2019
Valid to: 31 March 2023
Issue No: 8



175

A handwritten signature in black ink, which appears to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.