



FIRE RESISTANT TIMBER FIRE DOORS SDP01

Certificate number: FRTD574

This is a product certificate to certify that

P.A. Charalambous Trading Co. Ltd.

Industrial Zone Polis Chrysochous
PO Box 66120
Polis Chrysochous
Pafos, Cyprus
Tel: +357 26 323250

Who fabricate the following fire doors:

**Halspan FD30 Halspan FD90 Halspan FD60 Halspan FD120
Strebord FD30 Strebord FD60**

have satisfied the requirements of the above scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed in the schedules referenced below.

Schedule ref: HS01, HS02, HS03, HS04, HS05, HS06, SS01, SS02



First Issued: 26th July 2011
Reissued: 23rd July 2020
Valid to: 25th July 2021
Issue No: 7

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

**Ian Woodhouse
Director of Certification**



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.