



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: FRTD 592

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

H.H. Furnishings Ltd

42, Propyleon Street
Strovolos Industrial Estate
2091 Strovolos
Nicosia
Cyprus

Tel: +357 22425373 Fax: +357 22313774

Who fabricate the following fire doors:

**Halspan FD30 Halspan FD60 Halspan FD90 Halspan FD120
Strebord FD30 Strebord FD60**

have satisfied the requirements of the scheme SDP01. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from 30 minutes to 120 minutes integrity are detailed on page 2 of this certificate.



First Issued: 3rd August 2012
Reissued: 10th October 2021
Valid to: 2nd August 2023
Issue No: 8



175

A handwritten signature in black ink, appearing to read 'Ian Woodhouse'.

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. UK, HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

Page 1 of 2

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

Certificate number: FRTD 592

The production of fire-resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Description	Fire Rating	Assessment/ Test Report
Halspan Prima	FD30	06166B (HS01)
Halspan Prima	FD60	06167C (HS02)
Halspan Optima	FD30	PAR/10341/01 (HS03)
Halspan Optima	FD60	PAR/10341/02 (HS04)
Halspan	FD90	PAR/10513/01 (HS05)
Halspan	FD120	PAR/10513/02 (HS06)
Strebord	FD30	Chilt/A02066 IFCA/08037 (SS01)
Strebord	FD60	Chilt/A02067 IFCA/08038 (SS02)

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest versions / revisions of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.