



## FIRE RESISTING PARTITIONS

**Certificate number: IFCC 1651**

Certificate only valid if verified on website - [www.ifccertification.com](http://www.ifccertification.com)

This is a product certificate to certify that

### ***DORÇE Prefabricated Building and Construction Industry Trade INC***

Asagi Ovecler Mah.1325

Sok. No:6

Cankaya/Ankara

Turkey 06460

Telephone no: +90 312 472 8210

Who fabricate the following fire rated partitions:

### **100mm Stone Wool Insulated Sandwich Panel Wall System E120**

have satisfied the requirements of the above scheme, SDP 21 (Fire Resisting Partitions). This includes the testing of products to **EN1364-1**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specifications to achieve **an integrity performance of up to 120 minutes** are detailed in the test report referenced below.

Test report No's: TSE 605598



First Issued: 20 May 2021

Valid to: 19 May 2026

Issue No: 1

Ian Woodhouse

Director of Certification



175

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK  
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.