



FIRE RESISTANT TIMBER FIRE DOORS SDP01

Certificate number: IFCC1112

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

X L Filippou Ksylourgika Ltd

(Carpenters Works)
12 Antifonitou Ypsonas
Limassol 4193
Cyprus
Tel no. +357 25-399752

Who fabricate the following timber fire doors and or doorsets:

**Halspan FD30
Halspan FD120**

**Halspan FD60
Strebord FD30**

**Halspan FD90
Strebord FD60**

have satisfied the requirements of the above scheme. This includes the testing of products to **BS476: Part 22**, the inspection of their Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve **30 minutes to 120 minutes integrity** are detailed in the schedule referenced below.



Schedule ref: HS01, HS02, HS03, HS04,
HS05, HS06, SS01, SS02

First Issued: 7 November 2014

Re-issued: 12 July 2022

Valid to: 29 April 2023

Issue No: 8



175

Ian Woodhouse
Director of Certification

IFC Certification Ltd, 20 Park Street, Princes Risborough, Buckinghamshire. HP27 9AH, UK
Tel: +44 (0)1844 275500 Fax: +44 (0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.