



FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC 1593

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

Integrated Doorset Solutions Limited

Ovi House
Ratcher Way, Mansfield
Nottinghamshire, NG19 0FS

Tel: 01623 343111

Who fabricate the following timber fire doors and or doorsets:

Blankfort FD90/FD90S, FD120/FD120S
Own Design FD30/FD30S, FD60/FD60S
Enduracor timber door range FD30/FD30S, FD60/FD60S
OVI Timber Door Range FD30/FD30S, FD60/FD60S

Manufacturing location: A-ZE

have satisfied the requirements of the SDP01 Fire Resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22**, the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes integrity** are detailed on page 2 of this certificate.



Initial certification: 05 October 2020

Revised: 26 November 2021

Valid to: 04 October 2025

Issue status: 3

Ian Woodhouse
Director of Certification

Page 1 of 2



175

IFC Certification Ltd

20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH

Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com

Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

Certificate number: IFCC 1593

The production of fire resistance timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/Test Report
Blankfort	FD90	PAR/16184/01
Blankfort	FD120	PAR/16184/01
Own Design (Wood Wharf A1)	FD30	PAR/21079/01, IFCA/08037
OVI Timber Door Range	FD30	PAR/17306/01
OVI Timber Door Range	FD60	PAR/17307/01
Enduracor Timber Door Range	FD30	PAR/17308/01
Enduracor Timber Door Range	FD60	PAR/17309/01

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/revision of the above assessment/test reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.