



FIRE RESISTANT TIMBER DOOR SCHEME

Certificate number: IFCC 1606

Certificate only valid if verified on website - www.ifccertification.com

This is a product certificate to certify that

DPT Ltd

Unit 11 Chancery Gate Business Centre
Off St Marys Road
Langley
Berkshire
SL3 7FL

Tel: 0208 903 9561

Who fabricate the following timber fire doors and or doorsets:

**Strebord FD30, FD60 & Halspan FD30, FD60
Vicaima FD30, FD60**

have satisfied the requirements of the SDP01 Fire Resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity** are detailed on page 2 of this certificate.



Initial certification: 12 October 2020
Revised 21 February 2022
Valid to: 11 October 2025
Issue status: 3



175

Ian Woodhouse
Director of Certification

Page 1 of 2

IFC Certification Ltd
20 Park Street, Princes Risborough, Buckinghamshire, England HP27 9AH
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: info@ifccertification.com Web: www.ifccertification.com
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

Certificate number: IFCC 1606

The production of fire resistance timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/Test Report
Strebord	FD30	CHILT/A02066
Strebord	FD60	CHILT/A02067
Halspan Optima	FD30	PAR/10341/01
Halspan Optima	FD60	PAR/10341/02
Halspan Prima	FD30	IFCA 06166
Halspan Prima	FD60	IFCA 06167
Vicaima	FD30	FEA/F99112
Vicaima	FD60	Chilt/A13093

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/revision of the above assessment/test reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.