



# FIRE RESISTANT TIMBER DOOR SCHEME

**Certificate number: IFCC 1642**

Certificate only valid if verified on website - [www.ifccertification.com](http://www.ifccertification.com)

This is a product certificate to certify that

***Philip Gameson Joinery***

Pride Works Park Lane  
Halesowen  
West Midlands, B63 2RA

Tel: 01384 635645

Who fabricate the following timber fire doors and or doorsets:

**Strebord FD30 & FD60**  
**Halspan FD30 & FD60**

have satisfied the requirements of the SDP01 Fire Resistant Timber Door scheme. This includes the testing of products to **BS476: Part 22** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 60 minutes integrity** are detailed on page 2 of this certificate.



Initial certification: 08 April 2021  
Revised: 05 August 2021  
Valid to: 07 April 2026  
Issue status: 2



175

Ian Woodhouse  
Director of Certification

Page 1 of 2

IFC Certification Ltd  
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.

## ***Certificate number: IFCC 1642***

The production of fire resistance timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

<b>Doorset Description</b>	<b>Fire Rating</b>	<b>Assessment/Test Report</b>
Strebord	FD30	IFCA/08037
Strebord	FD60	IFCA/08038
Halspan Optima	FD30	PAR/10341/01
Halspan Optima	FD60	PAR/10341/02

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

**It is the certificate holder's responsibility to ensure that the latest version/revision of the above assessment/test reports are maintained as part of the audited FPC system.**

**Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.**